


- LEGEND**
- SSMP SUB-SOIL MARKER PLATE
  - SS — SUBSOIL DRAINAGE PIPES
  - SS SUBSOIL DRAIN FLUSHING POINT
  - STORMWATER DRAINAGE PIPES AND PITS
- NOTE:**
1. THE OBJECTIVE OF A SUBSOIL DRAIN (OR STORMWATER PIPE TRENCH BACKFILLED WITH FILTER MATERIAL) IS TO INTERCEPT AND COLLECT GROUND WATER AND LOWER THE PHREATIC GROUND WATER LEVEL UNDER THE ROAD PAVEMENT WHICH WOULD OTHERWISE QUICKLY REDUCE THE LIFE OF THE ROAD PAVEMENT.
  2. WHERE A STORMWATER PIPE SYSTEM IS NOT LOCATED ON THE HIGH (CUT) SIDE OF THE ROAD, SUBSOIL DRAINAGE SHALL BE PROVIDED AND CONNECTED TO AN APPROVED OUTLET PROVIDED.
  3. REFER SD120C, SD120D & SD120E FOR FURTHER DETAILS.



A	ORIGINAL DRAWING	KSC	25/01/21
ISSUE	AMENDMENTS	DRAWN	DATE



DRAWN KSC NOT TO SCALE

SHEET SIZE: **A3**

APPROVED

*[Signature]*

GROUP MANAGER INFRASTRUCTURE SERVICES D.L.

WINGECARRIBEE SHIRE COUNCIL

STANDARD DRAWING

SUBSOIL DRAINS – URBAN ROAD LOCATIONS

DATE: 25/01/2021	PLAN No: SD120A	SHEET 1 OF 5	ISSUE <b>A</b>
------------------	-----------------	--------------	----------------