

CERTIFICATE OF ANALYSIS

Work Order : EW1804938
Page : 1 of 18
Amendment : 1
Client : WINGECARRIBEE SHIRE COUNCIL
Laboratory : Environmental Division NSW South Coast
Contact : MR CHRIS MURPHY
Contact : Glenn Davies
**Address : PO BOX 141
MOSSVALE NSW
AUSTRALIA**
**Address : 1/19 Ralph Black Dr, North Wollongong 2500
4/13 Geary Pl, North Nowra 2541
Australia NSW Australia**
Telephone : ----
Telephone : 02 42253125
Project : RCC ANNUAL
Date Samples Received : 30-Nov-2018 15:30
Order number : 00205799
Date Analysis Commenced : 30-Nov-2018
C-O-C number : ----
Issue Date : 19-Dec-2018 12:33
Sampler : Robert DaLio
Site : ----
Quote number : WO/067/12
No. of samples received : 7
No. of samples analysed : 7


Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Franco Lentini		Sydney Organics, Smithfield, NSW
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- EN055: Ionic Balance out of acceptable limits for sample 2 due to analytes not quantified in this report.
- Sampling and sample data supplied by ALS Wollongong.
- Sampling completed as per FWI-EN001 Groundwater Sampling.
- Sampling completed as per FWI-EN002 Surface Water Sampling.
- Field tests completed on day of sampling/receipt.
- EP075: 'Sum of PAH' is the sum of the USEPA 16 priority PAHs
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EA005FD: Field pH								
pH	----	0.1	pH Unit	6.2	4.8	5.0	7.8	----
EA010FD: Field Conductivity								
Electrical Conductivity (Non Compensated)	----	1	µS/cm	7160	314	2620	1040	----
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	4680	204	1500	639	----
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	----	5	mg/L	----	----	----	10	----
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	----
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	----
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	217	6	2	310	----
Total Alkalinity as CaCO3	----	1	mg/L	217	6	2	310	----
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	112	40	<1	88	----
ED045G: Chloride by Discrete Analyser								
Chloride	16887-00-6	1	mg/L	1700	51	762	111	----
ED093F: Dissolved Major Cations								
Calcium	7440-70-2	1	mg/L	311	<1	8	76	----
Magnesium	7439-95-4	1	mg/L	227	2	37	42	----
Sodium	7440-23-5	1	mg/L	813	67	438	76	----
Potassium	7440-09-7	1	mg/L	18	<1	1	32	----
EG020F: Dissolved Metals by ICP-MS								
Aluminium	7429-90-5	0.01	mg/L	0.05	0.06	1.39	<0.01	----
Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	----
Barium	7440-39-3	0.001	mg/L	0.198	0.117	0.899	0.102	----
Cobalt	7440-48-4	0.001	mg/L	0.062	0.003	0.153	<0.001	----
Cadmium	7440-43-9	0.0001	mg/L	0.0012	<0.0001	0.0003	<0.0001	----
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001	<0.001	----
Manganese	7439-96-5	0.001	mg/L	2.22	0.016	0.835	0.017	----
Copper	7440-50-8	0.001	mg/L	0.002	0.002	0.008	0.007	----
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.006	<0.001	----
Nickel	7440-02-0	0.001	mg/L	0.044	0.002	0.053	0.003	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EG020F: Dissolved Metals by ICP-MS - Continued								
Zinc	7440-66-6	0.005	mg/L	0.130	0.138	0.240	0.016	----
EG035F: Dissolved Mercury by FIMS								
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	----
EG050F: Dissolved Hexavalent Chromium								
Hexavalent Chromium	18540-29-9	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	----
EK040P: Fluoride by PC Titrator								
Fluoride	16984-48-8	0.1	mg/L	0.3	<0.1	0.5	0.3	----
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.06	<0.01	0.35	----
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	0.05	<0.01	<0.01	0.05	----
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	158	0.01	2.35	2.34	----
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	158	0.01	2.35	2.39	----
EK067G: Total Phosphorus as P by Discrete Analyser								
Total Phosphorus as P	----	0.01	mg/L	----	----	----	0.04	----
EN055: Ionic Balance								
Total Anions	----	0.01	meq/L	65.9	----	----	----	----
Total Anions	----	0.01	meq/L	----	2.39	21.5	11.2	----
Total Cations	----	0.01	meq/L	70.0	3.08	22.5	11.4	----
Ionic Balance	----	0.01	%	3.02	----	----	----	----
Ionic Balance	----	0.01	%	----	12.6	2.24	0.96	----
EN67 PK: Field Tests								
Field Observations	----	0.01	--	----	----	----	----	DRY
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon	----	1	mg/L	12	12	2	12	----
EP030: Biochemical Oxygen Demand (BOD)								
Biochemical Oxygen Demand	----	2	mg/L	----	----	----	6	----
EP035G: Total Phenol by Discrete Analyser								
Phenols (Total)	----	0.05	mg/L	<0.05	<0.05	<0.05	<0.05	----
EP068A: Organochlorine Pesticides (OC)								



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP068A: Organochlorine Pesticides (OC) - Continued								
alpha-BHC	319-84-6	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
beta-BHC	319-85-7	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
gamma-BHC	58-89-9	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
delta-BHC	319-86-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Heptachlor	76-44-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Aldrin	309-00-2	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Dieldrin	60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
4,4'-DDE	72-55-9	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Endrin	72-20-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
4,4'-DDD	72-54-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
4,4'-DDT	50-29-3	2.0	µg/L	<2.0	<2.0	<2.0	<2.0	----
Endrin ketone	53494-70-5	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Methoxychlor	72-43-5	2.0	µg/L	<2.0	<2.0	<2.0	<2.0	----
^ Total Chlordane (sum)	----	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-2	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
EP068B: Organophosphorus Pesticides (OP)								
Dichlorvos	62-73-7	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Demeton-S-methyl	919-86-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Monocrotophos	6923-22-4	2.0	µg/L	<2.0	<2.0	<2.0	<2.0	----
Dimethoate	60-51-5	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Diazinon	333-41-5	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Chlorpyrifos-methyl	5598-13-0	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Parathion-methyl	298-00-0	2.0	µg/L	<2.0	<2.0	<2.0	<2.0	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP068B: Organophosphorus Pesticides (OP) - Continued								
Malathion	121-75-5	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Fenthion	55-38-9	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Chlorpyrifos	2921-88-2	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Parathion	56-38-2	2.0	µg/L	<2.0	<2.0	<2.0	<2.0	----
Pirimphos-ethyl	23505-41-1	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Chlorfenvinphos	470-90-6	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Bromophos-ethyl	4824-78-6	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Fenamiphos	22224-92-6	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Prothiofos	34643-46-4	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Ethion	563-12-2	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Carbophenothion	786-19-6	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Azinphos Methyl	86-50-0	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
EP074A: Monocyclic Aromatic Hydrocarbons								
Benzene	71-43-2	1	µg/L	<1	<1	<1	----	----
Toluene	108-88-3	2	µg/L	<2	<2	<2	----	----
Ethylbenzene	100-41-4	2	µg/L	<2	<2	<2	----	----
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	<2	<2	<2	----	----
Styrene	100-42-5	5	µg/L	<5	<5	<5	----	----
ortho-Xylene	95-47-6	2	µg/L	<2	<2	<2	----	----
Isopropylbenzene	98-82-8	5	µg/L	<5	<5	<5	----	----
n-Propylbenzene	103-65-1	5	µg/L	<5	<5	<5	----	----
1,3,5-Trimethylbenzene	108-67-8	5	µg/L	<5	<5	<5	----	----
sec-Butylbenzene	135-98-8	5	µg/L	<5	<5	<5	----	----
1,2,4-Trimethylbenzene	95-63-6	5	µg/L	<5	<5	<5	----	----
tert-Butylbenzene	98-06-6	5	µg/L	<5	<5	<5	----	----
p-Isopropyltoluene	99-87-6	5	µg/L	<5	<5	<5	----	----
n-Butylbenzene	104-51-8	5	µg/L	<5	<5	<5	----	----
EP074B: Oxygenated Compounds								
Vinyl Acetate	108-05-4	50	µg/L	<50	<50	<50	----	----
2-Butanone (MEK)	78-93-3	50	µg/L	<50	<50	<50	----	----
4-Methyl-2-pentanone (MIBK)	108-10-1	50	µg/L	<50	<50	<50	----	----
2-Hexanone (MBK)	591-78-6	50	µg/L	<50	<50	<50	----	----
EP074C: Sulfonated Compounds								



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP074C: Sulfonated Compounds - Continued								
Carbon disulfide	75-15-0	5	µg/L	<5	<5	<5	----	----
EP074D: Fumigants								
2,2-Dichloropropane	594-20-7	5	µg/L	<5	<5	<5	----	----
1,2-Dichloropropane	78-87-5	5	µg/L	<5	<5	<5	----	----
cis-1,3-Dichloropropylene	10061-01-5	5	µg/L	<5	<5	<5	----	----
trans-1,3-Dichloropropylene	10061-02-6	5	µg/L	<5	<5	<5	----	----
1,2-Dibromoethane (EDB)	106-93-4	5	µg/L	<5	<5	<5	----	----
EP074E: Halogenated Aliphatic Compounds								
Dichlorodifluoromethane	75-71-8	50	µg/L	<50	<50	<50	----	----
Chloromethane	74-87-3	50	µg/L	<50	<50	<50	----	----
Vinyl chloride	75-01-4	50	µg/L	<50	<50	<50	----	----
Bromomethane	74-83-9	50	µg/L	<50	<50	<50	----	----
Chloroethane	75-00-3	50	µg/L	<50	<50	<50	----	----
Trichlorofluoromethane	75-69-4	50	µg/L	<50	<50	<50	----	----
1,1-Dichloroethene	75-35-4	5	µg/L	<5	<5	<5	----	----
Iodomethane	74-88-4	5	µg/L	<5	<5	<5	----	----
trans-1,2-Dichloroethene	156-60-5	5	µg/L	<5	<5	<5	----	----
1,1-Dichloroethane	75-34-3	5	µg/L	<5	<5	<5	----	----
cis-1,2-Dichloroethene	156-59-2	5	µg/L	<5	<5	<5	----	----
1,1,1-Trichloroethane	71-55-6	5	µg/L	<5	<5	<5	----	----
1,1-Dichloropropylene	563-58-6	5	µg/L	<5	<5	<5	----	----
Carbon Tetrachloride	56-23-5	5	µg/L	<5	<5	<5	----	----
1,2-Dichloroethane	107-06-2	5	µg/L	<5	<5	<5	----	----
Trichloroethene	79-01-6	5	µg/L	<5	<5	<5	----	----
Dibromomethane	74-95-3	5	µg/L	<5	<5	<5	----	----
1,1,2-Trichloroethane	79-00-5	5	µg/L	<5	<5	<5	----	----
1,3-Dichloropropane	142-28-9	5	µg/L	<5	<5	<5	----	----
Tetrachloroethene	127-18-4	5	µg/L	<5	<5	<5	----	----
1,1,1,2-Tetrachloroethane	630-20-6	5	µg/L	<5	<5	<5	----	----
trans-1,4-Dichloro-2-butene	110-57-6	5	µg/L	<5	<5	<5	----	----
cis-1,4-Dichloro-2-butene	1476-11-5	5	µg/L	<5	<5	<5	----	----
1,1,2,2-Tetrachloroethane	79-34-5	5	µg/L	<5	<5	<5	----	----
1,2,3-Trichloropropane	96-18-4	5	µg/L	<5	<5	<5	----	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP074E: Halogenated Aliphatic Compounds - Continued								
Pentachloroethane	76-01-7	5	µg/L	<5	<5	<5	----	----
1,2-Dibromo-3-chloropropane	96-12-8	5	µg/L	<5	<5	<5	----	----
EP074F: Halogenated Aromatic Compounds								
Chlorobenzene	108-90-7	5	µg/L	<5	<5	<5	----	----
Bromobenzene	108-86-1	5	µg/L	<5	<5	<5	----	----
2-Chlorotoluene	95-49-8	5	µg/L	<5	<5	<5	----	----
4-Chlorotoluene	106-43-4	5	µg/L	<5	<5	<5	----	----
1,2,3-Trichlorobenzene	87-61-6	5	µg/L	<5	<5	<5	----	----
EP074G: Trihalomethanes								
Chloroform	67-66-3	5	µg/L	<5	<5	<5	----	----
Bromodichloromethane	75-27-4	5	µg/L	<5	<5	<5	----	----
Dibromochloromethane	124-48-1	5	µg/L	<5	<5	<5	----	----
Bromoform	75-25-2	5	µg/L	<5	<5	<5	----	----
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Acenaphthylene	208-96-8	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Acenaphthene	83-32-9	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Fluorene	86-73-7	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Phenanthrene	85-01-8	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Anthracene	120-12-7	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Fluoranthene	206-44-0	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Pyrene	129-00-0	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Benzo(a)anthracene	56-55-3	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Chrysene	218-01-9	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
Indeno(1,2,3.cd)pyrene	193-39-5	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Dibenz(a,h)anthracene	53-70-3	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
Benzo(g,h,i)perylene	191-24-2	1.0	µg/L	<1.0	<1.0	<1.0	<1.0	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	µg/L	<0.5	<0.5	<0.5	<0.5	----
EP075A: Phenolic Compounds								



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP075A: Phenolic Compounds - Continued								
Phenol	108-95-2	2	µg/L	<2	<2	<2	----	----
2-Chlorophenol	95-57-8	2	µg/L	<2	<2	<2	----	----
2-Methylphenol	95-48-7	2	µg/L	<2	<2	<2	----	----
3- & 4-Methylphenol	1319-77-3	4	µg/L	<4	<4	<4	----	----
2-Nitrophenol	88-75-5	2	µg/L	<2	<2	<2	----	----
2,4-Dimethylphenol	105-67-9	2	µg/L	<2	<2	<2	----	----
2,4-Dichlorophenol	120-83-2	2	µg/L	<2	<2	<2	----	----
2,6-Dichlorophenol	87-65-0	2	µg/L	<2	<2	<2	----	----
4-Chloro-3-methylphenol	59-50-7	2	µg/L	<2	<2	<2	----	----
2,4,6-Trichlorophenol	88-06-2	2	µg/L	<2	<2	<2	----	----
2,4,5-Trichlorophenol	95-95-4	2	µg/L	<2	<2	<2	----	----
Pentachlorophenol	87-86-5	4	µg/L	<4	<4	<4	----	----
EP075B: Polynuclear Aromatic Hydrocarbons								
Naphthalene	91-20-3	2	µg/L	<2	<2	<2	----	----
2-Methylnaphthalene	91-57-6	2	µg/L	<2	<2	<2	----	----
2-Chloronaphthalene	91-58-7	2	µg/L	<2	<2	<2	----	----
Acenaphthylene	208-96-8	2	µg/L	<2	<2	<2	----	----
Acenaphthene	83-32-9	2	µg/L	<2	<2	<2	----	----
Fluorene	86-73-7	2	µg/L	<2	<2	<2	----	----
Phenanthrene	85-01-8	2	µg/L	<2	<2	<2	----	----
Anthracene	120-12-7	2	µg/L	<2	<2	<2	----	----
Fluoranthene	206-44-0	2	µg/L	<2	<2	<2	----	----
Pyrene	129-00-0	2	µg/L	<2	<2	<2	----	----
N-2-Fluorenyl Acetamide	53-96-3	2	µg/L	<2	<2	<2	----	----
Benz(a)anthracene	56-55-3	2	µg/L	<2	<2	<2	----	----
Chrysene	218-01-9	2	µg/L	<2	<2	<2	----	----
Benzo(b+j) & Benzo(k)fluoranthene	205-99-2 207-08-9	4	µg/L	<4	<4	<4	----	----
7,12-Dimethylbenz(a)anthracene	57-97-6	2	µg/L	<2	<2	<2	----	----
Benzo(a)pyrene	50-32-8	2	µg/L	<2	<2	<2	----	----
3-Methylcholanthrene	56-49-5	2	µg/L	<2	<2	<2	----	----
Indeno(1,2,3.cd)pyrene	193-39-5	2	µg/L	<2	<2	<2	----	----
Dibenz(a,h)anthracene	53-70-3	2	µg/L	<2	<2	<2	----	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP075B: Polynuclear Aromatic Hydrocarbons - Continued								
Benzo(g,h,i)perylene	191-24-2	2	µg/L	<2	<2	<2	----	----
^ Sum of PAHs	----	2	µg/L	<2	<2	<2	----	----
^ Benzo(a)pyrene TEQ (zero)	----	2	µg/L	<2	<2	<2	----	----
EP075C: Phthalate Esters								
Dimethyl phthalate	131-11-3	2	µg/L	<2	<2	<2	----	----
Diethyl phthalate	84-66-2	2	µg/L	<2	<2	<2	----	----
Di-n-butyl phthalate	84-74-2	2	µg/L	<2	<2	<2	----	----
Butyl benzyl phthalate	85-68-7	2	µg/L	<2	<2	<2	----	----
bis(2-ethylhexyl) phthalate	117-81-7	10	µg/L	<10	<10	<10	----	----
Di-n-octylphthalate	117-84-0	2	µg/L	<2	<2	<2	----	----
EP075D: Nitrosamines								
N-Nitrosomethylethylamine	10595-95-6	2	µg/L	<2	<2	<2	----	----
N-Nitrosodiethylamine	55-18-5	2	µg/L	<2	<2	<2	----	----
N-Nitrosopyrrolidine	930-55-2	4	µg/L	<4	<4	<4	----	----
N-Nitrosomorpholine	59-89-2	2	µg/L	<2	<2	<2	----	----
N-Nitrosodi-n-propylamine	621-64-7	2	µg/L	<2	<2	<2	----	----
N-Nitrosopiperidine	100-75-4	2	µg/L	<2	<2	<2	----	----
N-Nitrosodibutylamine	924-16-3	2	µg/L	<2	<2	<2	----	----
N-Nitrosodiphenyl & Diphenylamine	86-30-6 122-39-4	4	µg/L	<4	<4	<4	----	----
Methapyrilene	91-80-5	2	µg/L	<2	<2	<2	----	----
EP075E: Nitroaromatics and Ketones								
2-Picoline	109-06-8	2	µg/L	<2	<2	<2	----	----
Acetophenone	98-86-2	2	µg/L	<2	<2	<2	----	----
Nitrobenzene	98-95-3	2	µg/L	<2	<2	<2	----	----
Isophorone	78-59-1	2	µg/L	<2	<2	<2	----	----
2,6-Dinitrotoluene	606-20-2	4	µg/L	<4	<4	<4	----	----
2,4-Dinitrotoluene	121-14-2	4	µg/L	<4	<4	<4	----	----
1-Naphthylamine	134-32-7	2	µg/L	<2	<2	<2	----	----
4-Nitroquinoline-N-oxide	56-57-5	2	µg/L	<2	<2	<2	----	----
5-Nitro-o-toluidine	99-55-8	2	µg/L	<2	<2	<2	----	----
Azobenzene	103-33-3	2	µg/L	<2	<2	<2	----	----
1,3,5-Trinitrobenzene	99-35-4	2	µg/L	<2	<2	<2	----	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP075E: Nitroaromatics and Ketones - Continued								
Phenacetin	62-44-2	2	µg/L	<2	<2	<2	----	----
4-Aminobiphenyl	92-67-1	2	µg/L	<2	<2	<2	----	----
Pentachloronitrobenzene	82-68-8	2	µg/L	<2	<2	<2	----	----
Pronamide	23950-58-5	2	µg/L	<2	<2	<2	----	----
Dimethylaminoazobenzene	60-11-7	2	µg/L	<2	<2	<2	----	----
Chlorobenzilate	510-15-6	2	µg/L	<2	<2	<2	----	----
EP075F: Haloethers								
Bis(2-chloroethyl) ether	111-44-4	2	µg/L	<2	<2	<2	----	----
Bis(2-chloroethoxy) methane	111-91-1	2	µg/L	<2	<2	<2	----	----
4-Chlorophenyl phenyl ether	7005-72-3	2	µg/L	<2	<2	<2	----	----
4-Bromophenyl phenyl ether	101-55-3	2	µg/L	<2	<2	<2	----	----
EP075G: Chlorinated Hydrocarbons								
1,3-Dichlorobenzene	541-73-1	2	µg/L	<2	<2	<2	----	----
1,4-Dichlorobenzene	106-46-7	2	µg/L	<2	<2	<2	----	----
1,2-Dichlorobenzene	95-50-1	2	µg/L	<2	<2	<2	----	----
Hexachloroethane	67-72-1	2	µg/L	<2	<2	<2	----	----
1,2,4-Trichlorobenzene	120-82-1	2	µg/L	<2	<2	<2	----	----
Hexachloropropylene	1888-71-7	2	µg/L	<2	<2	<2	----	----
Hexachlorobutadiene	87-68-3	2	µg/L	<2	<2	<2	----	----
Hexachlorocyclopentadiene	77-47-4	10	µg/L	<10	<10	<10	----	----
Pentachlorobenzene	608-93-5	2	µg/L	<2	<2	<2	----	----
Hexachlorobenzene (HCB)	118-74-1	4	µg/L	<4	<4	<4	----	----
EP075H: Anilines and Benzidines								
Aniline	62-53-3	2	µg/L	<2	<2	<2	----	----
4-Chloroaniline	106-47-8	2	µg/L	<2	<2	<2	----	----
2-Nitroaniline	88-74-4	4	µg/L	<4	<4	<4	----	----
3-Nitroaniline	99-09-2	4	µg/L	<4	<4	<4	----	----
Dibenzofuran	132-64-9	2	µg/L	<2	<2	<2	----	----
4-Nitroaniline	100-01-8	2	µg/L	<2	<2	<2	----	----
Carbazole	86-74-8	2	µg/L	<2	<2	<2	----	----
3,3'-Dichlorobenzidine	91-94-1	2	µg/L	<2	<2	<2	----	----
EP075I: Organochlorine Pesticides								
alpha-BHC	319-84-6	2	µg/L	<2	<2	<2	----	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP075I: Organochlorine Pesticides - Continued								
beta-BHC	319-85-7	2	µg/L	<2	<2	<2	----	----
gamma-BHC	58-89-9	2	µg/L	<2	<2	<2	----	----
delta-BHC	319-86-8	2	µg/L	<2	<2	<2	----	----
Heptachlor	76-44-8	2	µg/L	<2	<2	<2	----	----
Aldrin	309-00-2	2	µg/L	<2	<2	<2	----	----
Heptachlor epoxide	1024-57-3	2	µg/L	<2	<2	<2	----	----
alpha-Endosulfan	959-98-8	2	µg/L	<2	<2	<2	----	----
4.4'-DDE	72-55-9	2	µg/L	<2	<2	<2	----	----
Dieldrin	60-57-1	2	µg/L	<2	<2	<2	----	----
Endrin	72-20-8	2	µg/L	<2	<2	<2	----	----
beta-Endosulfan	33213-65-9	2	µg/L	<2	<2	<2	----	----
4.4'-DDD	72-54-8	2	µg/L	<2	<2	<2	----	----
Endosulfan sulfate	1031-07-8	2	µg/L	<2	<2	<2	----	----
4.4'-DDT	50-29-3	4	µg/L	<4	<4	<4	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	4	µg/L	<4	<4	<4	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/50-29-3	4	µg/L	<4	<4	<4	----	----
EP075J: Organophosphorus Pesticides								
Dichlorvos	62-73-7	2	µg/L	<2	<2	<2	----	----
Dimethoate	60-51-5	2	µg/L	<2	<2	<2	----	----
Diazinon	333-41-5	2	µg/L	<2	<2	<2	----	----
Chlorpyrifos-methyl	5598-13-0	2	µg/L	<2	<2	<2	----	----
Malathion	121-75-5	2	µg/L	<2	<2	<2	----	----
Fenthion	55-38-9	2	µg/L	<2	<2	<2	----	----
Chlorpyrifos	2921-88-2	2	µg/L	<2	<2	<2	----	----
Pirimphos-ethyl	23505-41-1	2	µg/L	<2	<2	<2	----	----
Chlorfenvinphos	470-90-6	2	µg/L	<2	<2	<2	----	----
Prothiofos	34643-46-4	2	µg/L	<2	<2	<2	----	----
Ethion	563-12-2	2	µg/L	<2	<2	<2	----	----
EP080/071: Total Petroleum Hydrocarbons								
C6 - C9 Fraction	----	20	µg/L	<20	<20	<20	<20	----
C10 - C14 Fraction	----	50	µg/L	<50	<50	<50	<50	----
C15 - C28 Fraction	----	100	µg/L	<100	<100	<100	<100	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP080/071: Total Petroleum Hydrocarbons - Continued								
C29 - C36 Fraction	----	50	µg/L	<50	200	<50	<50	----
[^] C10 - C36 Fraction (sum)	----	50	µg/L	<50	200	<50	<50	----
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions								
C6 - C10 Fraction	C6_C10	20	µg/L	<20	<20	<20	<20	----
[^] C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	µg/L	<20	<20	<20	<20	----
>C10 - C16 Fraction	----	100	µg/L	<100	<100	<100	<100	----
>C16 - C34 Fraction	----	100	µg/L	<100	200	<100	<100	----
>C34 - C40 Fraction	----	100	µg/L	<100	170	<100	<100	----
[^] >C10 - C40 Fraction (sum)	----	100	µg/L	<100	370	<100	<100	----
[^] >C10 - C16 Fraction minus Naphthalene (F2)	----	100	µg/L	<100	<100	<100	<100	----
EP080: BTEXN								
Benzene	71-43-2	1	µg/L	<1	<1	<1	<1	----
Toluene	108-88-3	2	µg/L	<2	<2	<2	<2	----
Ethylbenzene	100-41-4	2	µg/L	<2	<2	<2	<2	----
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	<2	<2	<2	<2	----
ortho-Xylene	95-47-6	2	µg/L	<2	<2	<2	<2	----
[^] Total Xylenes	----	2	µg/L	<2	<2	<2	<2	----
[^] Sum of BTEX	----	1	µg/L	<1	<1	<1	<1	----
Naphthalene	91-20-3	5	µg/L	<5	<5	<5	<5	----
EP231A: Perfluoroalkyl Sulfonic Acids								
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	0.03	<0.02	<0.02	----
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.02	µg/L	<0.02	<0.02	<0.02	0.06	----
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	0.12	----
EP231B: Perfluoroalkyl Carboxylic Acids								
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	<0.1	<0.1	----
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	<0.02	0.03	----
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	<0.02	0.02	----
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	<0.02	0.03	----



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP231B: Perfluoroalkyl Carboxylic Acids - Continued								
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	<0.01	<0.01	<0.01	0.10	----
EP231D: (n:2) Fluorotelomer Sulfonic Acids								
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	----
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	----
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	<0.05	<0.05	----
EP231P: PFAS Sums								
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	<0.01	<0.01	<0.01	0.18	----
Sum of PFAS (WA DER List)	----	0.01	µg/L	<0.01	0.03	<0.01	0.36	----
FWI-EN/001: Groundwater Sampling - Depth								
Depth	----	0.01	m	4.52	1.97	2.52	----	----
EP068S: Organochlorine Pesticide Surrogate								
Dibromo-DDE	21655-73-2	0.5	%	101	106	100	105	----
EP068T: Organophosphorus Pesticide Surrogate								
DEF	78-48-8	0.5	%	95.3	91.6	98.5	103	----
EP074S: VOC Surrogates								
1,2-Dichloroethane-D4	17060-07-0	5	%	113	111	107	----	----
Toluene-D8	2037-26-5	5	%	114	115	109	----	----
4-Bromofluorobenzene	460-00-4	5	%	109	110	104	----	----
EP075(SIM)S: Phenolic Compound Surrogates								
Phenol-d6	13127-88-3	1.0	%	23.6	27.2	24.1	25.0	----
2-Chlorophenol-D4	93951-73-6	1.0	%	51.7	55.3	53.2	54.5	----
2,4,6-Tribromophenol	118-79-6	1.0	%	41.6	60.6	44.1	53.3	----
EP075(SIM)T: PAH Surrogates								
2-Fluorobiphenyl	321-60-8	1.0	%	77.6	81.5	77.9	80.0	----
Anthracene-d10	1719-06-8	1.0	%	86.2	87.1	88.1	89.6	----
4-Terphenyl-d14	1718-51-0	1.0	%	81.1	78.1	80.4	83.9	----
EP075S: Acid Extractable Surrogates								



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 1 MW1B (FRONT GATE)	Point 2 MW06 (CAR PARK)	Point 3 MW7 (SOUTH OF POND)	Point 4 LT1 (LEACHATE)	Point 5 SW01 (STORMWATER)
Client sampling date / time				30-Nov-2018 11:20	30-Nov-2018 09:50	30-Nov-2018 10:30	30-Nov-2018 11:10	30-Nov-2018 10:18
Compound	CAS Number	LOR	Unit	EW1804938-001	EW1804938-002	EW1804938-003	EW1804938-004	EW1804938-005
				Result	Result	Result	Result	Result
EP075S: Acid Extractable Surrogates - Continued								
2-Fluorophenol	367-12-4	2	%	37.2	35.5	32.8	----	----
Phenol-d6	13127-88-3	2	%	23.5	25.3	22.6	----	----
2-Chlorophenol-D4	93951-73-6	2	%	49.2	49.1	46.9	----	----
2,4,6-Tribromophenol	118-79-6	2	%	33.2	48.0	35.7	----	----
EP075T: Base/Neutral Extractable Surrogates								
Nitrobenzene-D5	4165-60-0	2	%	49.9	50.7	49.7	----	----
1,2-Dichlorobenzene-D4	2199-69-1	2	%	52.1	49.4	46.1	----	----
2-Fluorobiphenyl	321-60-8	2	%	50.9	55.1	50.4	----	----
Anthracene-d10	1719-06-8	2	%	69.4	70.5	69.5	----	----
4-Terphenyl-d14	1718-51-0	2	%	50.8	58.5	56.5	----	----
EP080S: TPH(V)/BTEX Surrogates								
1,2-Dichloroethane-D4	17060-07-0	2	%	126	123	119	116	----
Toluene-D8	2037-26-5	2	%	105	107	101	98.6	----
4-Bromofluorobenzene	460-00-4	2	%	104	102	97.6	96.9	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	100	110	108	93.3	----
13C8-PFOA	----	0.02	%	111	116	108	101	----



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID			Point 6 SW02 (HOLDING POND)	Point 7 SW03 (POLISHING POND)	----	----	----
Client sampling date / time				30-Nov-2018 11:00	30-Nov-2018 10:52	----	----	----	----	----	
Compound	CAS Number	LOR	Unit	EW1804938-006	EW1804938-007	-----	-----	-----	-----	-----	
				Result	Result	---	---	---	---	---	
EA005FD: Field pH											
pH	----	0.1	pH Unit	7.5	7.8	----	----	----	----	----	
EA010FD: Field Conductivity											
Electrical Conductivity (Non Compensated)	----	1	µS/cm	598	616	----	----	----	----	----	
EA015: Total Dissolved Solids dried at 180 ± 5 °C											
Total Dissolved Solids @180°C	----	10	mg/L	450	444	----	----	----	----	----	
EA025: Total Suspended Solids dried at 104 ± 2°C											
Suspended Solids (SS)	----	5	mg/L	17	64	----	----	----	----	----	
EK055G: Ammonia as N by Discrete Analyser											
Ammonia as N	7664-41-7	0.01	mg/L	1.86	0.05	----	----	----	----	----	
EP005: Total Organic Carbon (TOC)											
Total Organic Carbon	----	1	mg/L	18	30	----	----	----	----	----	
EP030: Biochemical Oxygen Demand (BOD)											
Biochemical Oxygen Demand	----	2	mg/L	3	14	----	----	----	----	----	
EP231A: Perfluoroalkyl Sulfonic Acids											
Perfluorobutane sulfonic acid (PFBS)	375-73-5	0.02	µg/L	<0.02	<0.02	----	----	----	----	----	
Perfluorohexane sulfonic acid (PFHxS)	355-46-4	0.02	µg/L	<0.02	<0.02	----	----	----	----	----	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1	0.01	µg/L	0.04	0.03	----	----	----	----	----	
EP231B: Perfluoroalkyl Carboxylic Acids											
Perfluorobutanoic acid (PFBA)	375-22-4	0.1	µg/L	<0.1	<0.1	----	----	----	----	----	
Perfluoropentanoic acid (PFPeA)	2706-90-3	0.02	µg/L	<0.02	<0.02	----	----	----	----	----	
Perfluorohexanoic acid (PFHxA)	307-24-4	0.02	µg/L	<0.02	<0.02	----	----	----	----	----	
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.02	µg/L	<0.02	<0.02	----	----	----	----	----	
Perfluorooctanoic acid (PFOA)	335-67-1	0.01	µg/L	0.02	0.02	----	----	----	----	----	
EP231D: (n:2) Fluorotelomer Sulfonic Acids											
4:2 Fluorotelomer sulfonic acid (4:2 FTS)	757124-72-4	0.05	µg/L	<0.05	<0.05	----	----	----	----	----	
6:2 Fluorotelomer sulfonic acid (6:2 FTS)	27619-97-2	0.05	µg/L	<0.05	<0.05	----	----	----	----	----	



Analytical Results

Sub-Matrix: WATER
 (Matrix: WATER)

Client sample ID

				Point 6 SW02 (HOLDING POND)	Point 7 SW03 (POLISHING POND)	----	----	----
Client sampling date / time				30-Nov-2018 11:00	30-Nov-2018 10:52	----	----	----
Compound	CAS Number	LOR	Unit	EW1804938-006	EW1804938-007	-----	-----	-----
				Result	Result	---	---	---
EP231D: (n:2) Fluorotelomer Sulfonic Acids - Continued								
8:2 Fluorotelomer sulfonic acid (8:2 FTS)	39108-34-4	0.05	µg/L	<0.05	<0.05	----	----	----
10:2 Fluorotelomer sulfonic acid (10:2 FTS)	120226-60-0	0.05	µg/L	<0.05	<0.05	----	----	----
EP231P: PFAS Sums								
Sum of PFHxS and PFOS	355-46-4/1763-23-1	0.01	µg/L	0.04	0.03	----	----	----
Sum of PFAS (WA DER List)	----	0.01	µg/L	0.06	0.05	----	----	----
EP231S: PFAS Surrogate								
13C4-PFOS	----	0.02	%	95.7	94.8	----	----	----
13C8-PFOA	----	0.02	%	107	112	----	----	----



Surrogate Control Limits

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP068S: Organochlorine Pesticide Surrogate			
Dibromo-DDE	21655-73-2	67	111
EP068T: Organophosphorus Pesticide Surrogate			
DEF	78-48-8	67	111
EP074S: VOC Surrogates			
1,2-Dichloroethane-D4	17060-07-0	78	133
Toluene-D8	2037-26-5	79	129
4-Bromofluorobenzene	460-00-4	81	124
EP075(SIM)S: Phenolic Compound Surrogates			
Phenol-d6	13127-88-3	10	44
2-Chlorophenol-D4	93951-73-6	14	94
2,4,6-Tribromophenol	118-79-6	17	125
EP075(SIM)T: PAH Surrogates			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	32	112
EP075S: Acid Extractable Surrogates			
2-Fluorophenol	367-12-4	10	117
Phenol-d6	13127-88-3	10	69
2-Chlorophenol-D4	93951-73-6	21	130
2,4,6-Tribromophenol	118-79-6	10	151
EP075T: Base/Neutral Extractable Surrogates			
Nitrobenzene-D5	4165-60-0	29	142
1,2-Dichlorobenzene-D4	2199-69-1	24	121
2-Fluorobiphenyl	321-60-8	27	135
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	21	123
EP080S: TPH(V)/BTEX Surrogates			
1,2-Dichloroethane-D4	17060-07-0	71	137
Toluene-D8	2037-26-5	79	131
4-Bromofluorobenzene	460-00-4	70	128
EP231S: PFAS Surrogate			
13C4-PFOS	----	60	120
13C8-PFOA	----	60	120