



## CERTIFICATE OF ANALYSIS

**Work Order** : **EW2301897**  
**Client** : **WINGECARRIBEE SHIRE COUNCIL**  
**Contact** : Resource  
**Address** : PO BOX 141  
MOSSVALE NSW  
AUSTRALIA  
**Telephone** : ----  
**Project** : Biannual Surface and Ground Waters  
**Order number** : ----  
**C-O-C number** : ----  
**Sampler** : Michael Santos, Robert DaLio  
**Site** : ----  
**Quote number** : WO/019/13  
**No. of samples received** : 17  
**No. of samples analysed** : 17

**Page** : 1 of 16  
**Laboratory** : Environmental Division NSW South Coast  
**Contact** : Aneta Prosaroski  
**Address** : 1/19 Ralph Black Dr, North Wollongong 2500 NSW Australia  
**Telephone** : 02 42253125  
**Date Samples Received** : 28-Apr-2023 16:00  
**Date Analysis Commenced** : 28-Apr-2023  
**Issue Date** : 09-May-2023 16:31



Accreditation No. 825  
Accredited for compliance with  
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

**Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.**

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Aneta Prosaroski	Environmental Services Representative	Laboratory - Wollongong, NSW
Ankit Joshi	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjjar	Organic Coordinator	Sydney Organics, Smithfield, NSW



## General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.  
LOR = Limit of reporting  
^ = This result is computed from individual analyte detections at or above the level of reporting  
ø = ALS is not NATA accredited for these tests.  
~ = Indicates an estimated value.

- **Analytical work for this work order will be conducted at ALS Sydney.**
- EP075 (SIM): Where reported, Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.
- EP068: Where reported, Total Chlordane (sum) is the sum of the reported concentrations of cis-Chlordane and trans-Chlordane at or above the LOR.
- EP080: Where reported, Total Xylenes is the sum of the reported concentrations of m&p-Xylene and o-Xylene at or above the LOR.
- EP075(SIM): Where reported, Total Cresol is the sum of the reported concentrations of 2-Methylphenol and 3- & 4-Methylphenol at or above the LOR.
- As per QWI – EN55-3 Data Interpreting Procedures, Ionic balances are typically calculated using Major Anions - Chloride, Alkalinity and Sulfate; and Major Cations - Calcium, Magnesium, Potassium and Sodium. Where applicable and dependent upon sample matrix, the Ionic Balance may also include the additional contribution of Ammonia, Dissolved Metals by ICPMS and H+ to the Cations and Nitrate, SiO<sub>2</sub> and Fluoride to the Anions.
- EP080: Result for EW2301897-09 has been confirmed by re-analysis.
- ED041G: LOR raised for Sulfate due to sample matrix
- TDS by method EA-015 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- pH performed by ALS Wollongong via in-house method EA005FD and EN67 PK.
- Electrical conductivity performed by ALS Wollongong via in-house method EA010FD and EN67 PK.
- Sampling and groundwater depth measurements completed by ALS Wollongong via inhouse sampling method EN/67.11 Groundwater Sampling Via Bailer Method.
- Sampling completed by ALS Wollongong in accordance with in-house sampling method EN/67.6 Rivers and Streams.
- Dissolved oxygen (DO) performed by ALS Wollongong via in-house method EP025FD and EN67 PK.
- Sampling completed by ALS Wollongong in accordance with in-house sampling method EN/67.4 Lakes and Reservoirs
- Sample collection of Ground Waters by in-house EN67 where the "surface layer of the aquifer was sampled".
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	Point 1 WELM-01	Point 2 WELM-02	Point 3 WELM-04	Point 4 WELM-05	Point 5 WELM-06D
Sampling date / time				28-Apr-2023 10:20	28-Apr-2023 11:10	28-Apr-2023 10:45	28-Apr-2023 11:05	28-Apr-2023 11:55	
Compound	CAS Number	LOR	Unit	EW2301897-001	EW2301897-002	EW2301897-003	EW2301897-004	EW2301897-005	
				Result	Result	Result	Result	Result	
<b>EA005FD: Field pH</b>									
pH	----	0.1	pH Unit	5.4	6.3	6.6	----	----	
<b>EA010FD: Field Conductivity</b>									
Electrical Conductivity (Non Compensated)	----	1	µS/cm	168	1910	1330	----	----	
<b>EA015: Total Dissolved Solids dried at 180 ± 5 °C</b>									
Total Dissolved Solids @180°C	----	10	mg/L	130	1350	946	----	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	45	321	412	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	45	321	412	----	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	36	472	175	----	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	12	293	162	----	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	19	141	130	----	----	
Magnesium	7439-95-4	1	mg/L	4	48	40	----	----	
Sodium	7440-23-5	1	mg/L	13	225	96	----	----	
Potassium	7440-09-7	1	mg/L	<1	61	53	----	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Arsenic	7440-38-2	0.001	mg/L	0.005	0.002	0.002	----	----	
Cadmium	7440-43-9	0.0001	mg/L	0.0002	<0.0001	<0.0001	----	----	
Chromium	7440-47-3	0.001	mg/L	0.001	0.004	0.007	----	----	
Nickel	7440-02-0	0.001	mg/L	0.002	0.003	0.006	----	----	
Lead	7439-92-1	0.001	mg/L	0.002	0.040	0.006	----	----	
Zinc	7440-66-6	0.005	mg/L	0.108	0.052	0.019	----	----	
Iron	7439-89-6	0.05	mg/L	7.11	6.45	7.29	----	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	----	----	
<b>EK040P: Fluoride by PC Titrator</b>									
Fluoride	16984-48-8	0.1	mg/L	<0.1	<0.1	<0.1	----	----	
<b>EK055G: Ammonia as N by Discrete Analyser</b>									



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	Point 1 WELM-01	Point 2 WELM-02	Point 3 WELM-04	Point 4 WELM-05	Point 5 WELM-06D
Sampling date / time					28-Apr-2023 10:20	28-Apr-2023 11:10	28-Apr-2023 10:45	28-Apr-2023 11:05	28-Apr-2023 11:55
Compound	CAS Number	LOR	Unit	EW2301897-001	EW2301897-002	EW2301897-003	EW2301897-004	EW2301897-005	EW2301897-005
				Result	Result	Result	Result	Result	Result
<b>EK055G: Ammonia as N by Discrete Analyser - Continued</b>									
Ammonia as N	7664-41-7	0.01	mg/L	0.01	0.80	0.32	----	----	----
<b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser</b>									
Nitrite + Nitrate as N	----	0.01	mg/L	0.40	0.40	0.09	----	----	----
<b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser</b>									
Total Kjeldahl Nitrogen as N	----	0.1	mg/L	0.9	1.8	2.5	----	----	----
<b>EN055: Ionic Balance</b>									
∅ Total Anions	----	0.01	meq/L	1.99	24.5	16.4	----	----	----
∅ Total Cations	----	0.01	meq/L	1.84	22.3	15.3	----	----	----
∅ Ionic Balance	----	0.01	%	----	4.64	3.57	----	----	----
<b>EN67 PK: Field Tests</b>									
Field Observations	----	0.01	--	----	----	----	DRY	DRY	DRY
<b>EP005: Total Organic Carbon (TOC)</b>									
Total Organic Carbon	----	1	mg/L	9	13	32	----	----	----
<b>EP035SF: Total Phenol by Segmented Flow Analyser</b>									
Phenols (Total)	----	0.05	mg/L	<0.05	<0.05	<0.05	----	----	----
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
beta-BHC	319-85-7	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
gamma-BHC	58-89-9	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
delta-BHC	319-86-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Heptachlor	76-44-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Aldrin	309-00-2	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Dieldrin	60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
4,4'-DDE	72-55-9	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Endrin	72-20-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
4,4'-DDD	72-54-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----
Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5	<0.5	<0.5	----	----	----



## Analytical Results

Sub-Matrix: WATER  
 (Matrix: WATER)

Sample ID

				Point 1 WELM-01	Point 2 WELM-02	Point 3 WELM-04	Point 4 WELM-05	Point 5 WELM-06D
Sampling date / time				28-Apr-2023 10:20	28-Apr-2023 11:10	28-Apr-2023 10:45	28-Apr-2023 11:05	28-Apr-2023 11:55
Compound	CAS Number	LOR	Unit	EW2301897-001	EW2301897-002	EW2301897-003	EW2301897-004	EW2301897-005
				Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>								
Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----
4.4'-DDT	50-29-3	2.0	µg/L	<2.0	<2.0	<2.0	----	----
Endrin ketone	53494-70-5	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Methoxychlor	72-43-5	2.0	µg/L	<2.0	<2.0	<2.0	----	----
^ Total Chlordane (sum)	----	0.5	µg/L	<0.5	<0.5	<0.5	----	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.5	µg/L	<0.5	<0.5	<0.5	----	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	----	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>								
Dichlorvos	62-73-7	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Demeton-S-methyl	919-86-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Monocrotophos	6923-22-4	2.0	µg/L	<2.0	<2.0	<2.0	----	----
Dimethoate	60-51-5	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Diazinon	333-41-5	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Chlorpyrifos-methyl	5598-13-0	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Parathion-methyl	298-00-0	2.0	µg/L	<2.0	<2.0	<2.0	----	----
Malathion	121-75-5	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Fenthion	55-38-9	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Chlorpyrifos	2921-88-2	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Parathion	56-38-2	2.0	µg/L	<2.0	<2.0	<2.0	----	----
Pirimphos-ethyl	23505-41-1	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Chlorfenvinphos	470-90-6	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Bromophos-ethyl	4824-78-6	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Fenamiphos	22224-92-6	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Prothiofos	34643-46-4	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Ethion	563-12-2	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Carbophenothion	786-19-6	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Azinphos Methyl	86-50-0	0.5	µg/L	<0.5	<0.5	<0.5	----	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Acenaphthylene	208-96-8	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Acenaphthene	83-32-9	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Fluorene	86-73-7	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Phenanthrene	85-01-8	1.0	µg/L	<1.0	<1.0	<1.0	----	----



## Analytical Results

Sub-Matrix: WATER  
 (Matrix: WATER)

Sample ID

				Point 1 WELM-01	Point 2 WELM-02	Point 3 WELM-04	Point 4 WELM-05	Point 5 WELM-06D
Sampling date / time				28-Apr-2023 10:20	28-Apr-2023 11:10	28-Apr-2023 10:45	28-Apr-2023 11:05	28-Apr-2023 11:55
Compound	CAS Number	LOR	Unit	EW2301897-001	EW2301897-002	EW2301897-003	EW2301897-004	EW2301897-005
				Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Anthracene	120-12-7	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Fluoranthene	206-44-0	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Pyrene	129-00-0	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Benz(a)anthracene	56-55-3	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Chrysene	218-01-9	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----
Indeno(1.2.3.cd)pyrene	193-39-5	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Dibenz(a.h)anthracene	53-70-3	1.0	µg/L	<1.0	<1.0	<1.0	----	----
Benzo(g.h.i)perylene	191-24-2	1.0	µg/L	<1.0	<1.0	<1.0	----	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	µg/L	<0.5	<0.5	<0.5	----	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	µg/L	<0.5	<0.5	<0.5	----	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	µg/L	<20	<20	<20	----	----
C10 - C14 Fraction	----	50	µg/L	<50	<50	<50	----	----
C15 - C28 Fraction	----	100	µg/L	<100	<100	<100	----	----
C29 - C36 Fraction	----	50	µg/L	<50	<50	<50	----	----
^ C10 - C36 Fraction (sum)	----	50	µg/L	<50	<50	<50	----	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
C6 - C10 Fraction	C6_C10	20	µg/L	<20	<20	<20	----	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	µg/L	<20	<20	<20	----	----
>C10 - C16 Fraction	----	100	µg/L	<100	<100	<100	----	----
>C16 - C34 Fraction	----	100	µg/L	<100	<100	<100	----	----
>C34 - C40 Fraction	----	100	µg/L	<100	<100	<100	----	----
^ >C10 - C40 Fraction (sum)	----	100	µg/L	<100	<100	<100	----	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	100	µg/L	<100	<100	<100	----	----
<b>EP080: BTEXN</b>								
Benzene	71-43-2	1	µg/L	<1	<1	<1	----	----
Toluene	108-88-3	2	µg/L	<2	<2	<2	----	----
Ethylbenzene	100-41-4	2	µg/L	<2	<2	<2	----	----
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	<2	<2	<2	----	----



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	Point 1 WELM-01	Point 2 WELM-02	Point 3 WELM-04	Point 4 WELM-05	Point 5 WELM-06D
Sampling date / time				28-Apr-2023 10:20	28-Apr-2023 11:10	28-Apr-2023 10:45	28-Apr-2023 11:05	28-Apr-2023 11:55	
Compound	CAS Number	LOR	Unit	EW2301897-001	EW2301897-002	EW2301897-003	EW2301897-004	EW2301897-005	
				Result	Result	Result	Result	Result	
<b>EP080: BTEXN - Continued</b>									
ortho-Xylene	95-47-6	2	µg/L	<2	<2	<2	----	----	
^ Total Xylenes	----	2	µg/L	<2	<2	<2	----	----	
^ Sum of BTEX	----	1	µg/L	<1	<1	<1	----	----	
Naphthalene	91-20-3	5	µg/L	<5	<5	<5	----	----	
<b>QWI-EN 67.11 Sampling of Groundwaters</b>									
Depth	----	0.01	m	<b>3.03</b>	<b>3.09</b>	<b>3.67</b>	----	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.5	%	<b>92.7</b>	<b>84.8</b>	<b>75.1</b>	----	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.5	%	<b>85.9</b>	<b>92.5</b>	<b>70.8</b>	----	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	1.0	%	<b>26.1</b>	<b>28.3</b>	<b>20.0</b>	----	----	
2-Chlorophenol-D4	93951-73-6	1.0	%	<b>58.0</b>	<b>63.3</b>	<b>45.6</b>	----	----	
2,4,6-Tribromophenol	118-79-6	1.0	%	<b>85.9</b>	<b>83.5</b>	<b>67.8</b>	----	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	1.0	%	<b>73.8</b>	<b>81.8</b>	<b>62.0</b>	----	----	
Anthracene-d10	1719-06-8	1.0	%	<b>87.0</b>	<b>87.6</b>	<b>72.5</b>	----	----	
4-Terphenyl-d14	1718-51-0	1.0	%	<b>94.5</b>	<b>89.7</b>	<b>76.0</b>	----	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	2	%	<b>116</b>	<b>116</b>	<b>120</b>	----	----	
Toluene-D8	2037-26-5	2	%	<b>104</b>	<b>100</b>	<b>92.7</b>	----	----	
4-Bromofluorobenzene	460-00-4	2	%	<b>98.5</b>	<b>96.0</b>	<b>84.7</b>	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	Point 6 WELM-06S	Point 7 WELM-07D	Point 8 WELM-07S	Point 9 WELM LEACH-01	Point 10 WELMSW-01
Sampling date / time				28-Apr-2023 11:43	28-Apr-2023 00:00	28-Apr-2023 00:00	28-Apr-2023 13:00	28-Apr-2023 00:00	
Compound	CAS Number	LOR	Unit	EW2301897-006	EW2301897-007	EW2301897-008	EW2301897-009	EW2301897-010	
				Result	Result	Result	Result	Result	
<b>EA005FD: Field pH</b>									
pH	----	0.1	pH Unit	5.0	----	----	7.2	----	
<b>EA010FD: Field Conductivity</b>									
Electrical Conductivity (Non Compensated)	----	1	µS/cm	1380	----	----	4980	----	
<b>EA015: Total Dissolved Solids dried at 180 ± 5 °C</b>									
Total Dissolved Solids @180°C	----	10	mg/L	994	----	----	2400	----	
<b>ED037P: Alkalinity by PC Titrator</b>									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	----	----	<1	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	----	----	<1	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	28	----	----	1970	----	
Total Alkalinity as CaCO3	----	1	mg/L	28	----	----	1970	----	
<b>ED041G: Sulfate (Turbidimetric) as SO4 2- by DA</b>									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	262	----	----	<10	----	
<b>ED045G: Chloride by Discrete Analyser</b>									
Chloride	16887-00-6	1	mg/L	295	----	----	381	----	
<b>ED093F: Dissolved Major Cations</b>									
Calcium	7440-70-2	1	mg/L	46	----	----	270	----	
Magnesium	7439-95-4	1	mg/L	33	----	----	98	----	
Sodium	7440-23-5	1	mg/L	167	----	----	235	----	
Potassium	7440-09-7	1	mg/L	34	----	----	227	----	
<b>EG020T: Total Metals by ICP-MS</b>									
Arsenic	7440-38-2	0.001	mg/L	0.006	----	----	0.003	----	
Cadmium	7440-43-9	0.0001	mg/L	<0.0001	----	----	0.0002	----	
Chromium	7440-47-3	0.001	mg/L	0.012	----	----	0.006	----	
Nickel	7440-02-0	0.001	mg/L	0.004	----	----	0.023	----	
Lead	7439-92-1	0.001	mg/L	0.017	----	----	0.022	----	
Zinc	7440-66-6	0.005	mg/L	0.046	----	----	0.161	----	
Iron	7439-89-6	0.05	mg/L	8.98	----	----	13.0	----	
<b>EG035T: Total Recoverable Mercury by FIMS</b>									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	----	----	<0.0001	----	
<b>EK040P: Fluoride by PC Titrator</b>									
Fluoride	16984-48-8	0.1	mg/L	<0.1	----	----	0.2	----	
<b>EK055G: Ammonia as N by Discrete Analyser</b>									





## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	Point 6 WELM-06S	Point 7 WELM-07D	Point 8 WELM-07S	Point 9 WELM LEACH-01	Point 10 WELMSW-01
Sampling date / time				28-Apr-2023 11:43	28-Apr-2023 00:00	28-Apr-2023 00:00	28-Apr-2023 13:00	28-Apr-2023 00:00	
Compound	CAS Number	LOR	Unit	EW2301897-006	EW2301897-007	EW2301897-008	EW2301897-009	EW2301897-010	
				Result	Result	Result	Result	Result	
<b>EK055G: Ammonia as N by Discrete Analyser - Continued</b>									
Ammonia as N	7664-41-7	0.01	mg/L	5.41	----	----	182	----	
<b>EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser</b>									
Nitrite + Nitrate as N	----	0.01	mg/L	23.6	----	----	0.04	----	
<b>EK061G: Total Kjeldahl Nitrogen By Discrete Analyser</b>									
Total Kjeldahl Nitrogen as N	----	0.1	mg/L	11.9	----	----	208	----	
<b>EN055: Ionic Balance</b>									
∅ Total Anions	----	0.01	meq/L	14.3	----	----	50.1	----	
∅ Total Cations	----	0.01	meq/L	----	----	----	52.4	----	
∅ Total Cations	----	0.01	meq/L	13.1	----	----	----	----	
∅ Ionic Balance	----	0.01	%	----	----	----	2.22	----	
∅ Ionic Balance	----	0.01	%	4.33	----	----	----	----	
<b>EN67 PK: Field Tests</b>									
Field Observations	----	0.01	--	----	NO ACCESS TRACK BLOCKED	NO ACCESS TRACK BLOCKED	----	NO ACCESS TRACK CLOSED	
<b>EP005: Total Organic Carbon (TOC)</b>									
Total Organic Carbon	----	1	mg/L	9	----	----	169	----	
<b>EP035SF: Total Phenol by Segmented Flow Analyser</b>									
Phenols (Total)	----	0.05	mg/L	<0.05	----	----	<0.05	----	
<b>EP068A: Organochlorine Pesticides (OC)</b>									
alpha-BHC	319-84-6	0.5	µg/L	<0.5	----	----	<0.5	----	
Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5	----	----	<0.5	----	
beta-BHC	319-85-7	0.5	µg/L	<0.5	----	----	<0.5	----	
gamma-BHC	58-89-9	0.5	µg/L	<0.5	----	----	<0.5	----	
delta-BHC	319-86-8	0.5	µg/L	<0.5	----	----	<0.5	----	
Heptachlor	76-44-8	0.5	µg/L	<0.5	----	----	<0.5	----	
Aldrin	309-00-2	0.5	µg/L	<0.5	----	----	<0.5	----	
Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5	----	----	<0.5	----	
trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	----	----	<0.5	----	
alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5	----	----	<0.5	----	
cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	----	----	<0.5	----	
Dieldrin	60-57-1	0.5	µg/L	<0.5	----	----	<0.5	----	
4,4`-DDE	72-55-9	0.5	µg/L	<0.5	----	----	<0.5	----	
Endrin	72-20-8	0.5	µg/L	<0.5	----	----	<0.5	----	



## Analytical Results

Sub-Matrix: WATER  
 (Matrix: WATER)

Sample ID

				Point 6 WELM-06S	Point 7 WELM-07D	Point 8 WELM-07S	Point 9 WELM LEACH-01	Point 10 WELMSW-01
Sampling date / time				28-Apr-2023 11:43	28-Apr-2023 00:00	28-Apr-2023 00:00	28-Apr-2023 13:00	28-Apr-2023 00:00
Compound	CAS Number	LOR	Unit	EW2301897-006	EW2301897-007	EW2301897-008	EW2301897-009	EW2301897-010
				Result	Result	Result	Result	Result
<b>EP068A: Organochlorine Pesticides (OC) - Continued</b>								
beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5	----	----	<0.5	----
4.4'-DDD	72-54-8	0.5	µg/L	<0.5	----	----	<0.5	----
Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5	----	----	<0.5	----
Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5	----	----	<0.5	----
4.4'-DDT	50-29-3	2.0	µg/L	<2.0	----	----	<2.0	----
Endrin ketone	53494-70-5	0.5	µg/L	<0.5	----	----	<0.5	----
Methoxychlor	72-43-5	2.0	µg/L	<2.0	----	----	<2.0	----
^ Total Chlordane (sum)	----	0.5	µg/L	<0.5	----	----	<0.5	----
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5 0-2	0.5	µg/L	<0.5	----	----	<0.5	----
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.5	µg/L	<0.5	----	----	<0.5	----
<b>EP068B: Organophosphorus Pesticides (OP)</b>								
Dichlorvos	62-73-7	0.5	µg/L	<0.5	----	----	<0.5	----
Demeton-S-methyl	919-86-8	0.5	µg/L	<0.5	----	----	<0.5	----
Monocrotophos	6923-22-4	2.0	µg/L	<2.0	----	----	<2.0	----
Dimethoate	60-51-5	0.5	µg/L	<0.5	----	----	<0.5	----
Diazinon	333-41-5	0.5	µg/L	<0.5	----	----	<0.5	----
Chlorpyrifos-methyl	5598-13-0	0.5	µg/L	<0.5	----	----	<0.5	----
Parathion-methyl	298-00-0	2.0	µg/L	<2.0	----	----	<2.0	----
Malathion	121-75-5	0.5	µg/L	<0.5	----	----	<0.5	----
Fenthion	55-38-9	0.5	µg/L	<0.5	----	----	<0.5	----
Chlorpyrifos	2921-88-2	0.5	µg/L	<0.5	----	----	<0.5	----
Parathion	56-38-2	2.0	µg/L	<2.0	----	----	<2.0	----
Pirimphos-ethyl	23505-41-1	0.5	µg/L	<0.5	----	----	<0.5	----
Chlorfenvinphos	470-90-6	0.5	µg/L	<0.5	----	----	<0.5	----
Bromophos-ethyl	4824-78-6	0.5	µg/L	<0.5	----	----	<0.5	----
Fenamiphos	22224-92-6	0.5	µg/L	<0.5	----	----	<0.5	----
Prothiofos	34643-46-4	0.5	µg/L	<0.5	----	----	<0.5	----
Ethion	563-12-2	0.5	µg/L	<0.5	----	----	<0.5	----
Carbophenothion	786-19-6	0.5	µg/L	<0.5	----	----	<0.5	----
Azinphos Methyl	86-50-0	0.5	µg/L	<0.5	----	----	<0.5	----
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons</b>								
Naphthalene	91-20-3	1.0	µg/L	<1.0	----	----	<1.0	----
Acenaphthylene	208-96-8	1.0	µg/L	<1.0	----	----	<1.0	----



## Analytical Results

Sub-Matrix: WATER  
 (Matrix: WATER)

Sample ID

				Point 6 WELM-06S	Point 7 WELM-07D	Point 8 WELM-07S	Point 9 WELM LEACH-01	Point 10 WELMSW-01
Sampling date / time				28-Apr-2023 11:43	28-Apr-2023 00:00	28-Apr-2023 00:00	28-Apr-2023 13:00	28-Apr-2023 00:00
Compound	CAS Number	LOR	Unit	EW2301897-006	EW2301897-007	EW2301897-008	EW2301897-009	EW2301897-010
				Result	Result	Result	Result	Result
<b>EP075(SIM)B: Polynuclear Aromatic Hydrocarbons - Continued</b>								
Acenaphthene	83-32-9	1.0	µg/L	<1.0	----	----	<1.0	----
Fluorene	86-73-7	1.0	µg/L	<1.0	----	----	<1.0	----
Phenanthrene	85-01-8	1.0	µg/L	<1.0	----	----	<1.0	----
Anthracene	120-12-7	1.0	µg/L	<1.0	----	----	<1.0	----
Fluoranthene	206-44-0	1.0	µg/L	<1.0	----	----	<1.0	----
Pyrene	129-00-0	1.0	µg/L	<1.0	----	----	<1.0	----
Benz(a)anthracene	56-55-3	1.0	µg/L	<1.0	----	----	<1.0	----
Chrysene	218-01-9	1.0	µg/L	<1.0	----	----	<1.0	----
Benzo(b+j)fluoranthene	205-99-2 205-82-3	1.0	µg/L	<1.0	----	----	<1.0	----
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0	----	----	<1.0	----
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	----	----	<0.5	----
Indeno(1.2.3.cd)pyrene	193-39-5	1.0	µg/L	<1.0	----	----	<1.0	----
Dibenz(a.h)anthracene	53-70-3	1.0	µg/L	<1.0	----	----	<1.0	----
Benzo(g,h,i)perylene	191-24-2	1.0	µg/L	<1.0	----	----	<1.0	----
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	µg/L	<0.5	----	----	<0.5	----
^ Benzo(a)pyrene TEQ (zero)	----	0.5	µg/L	<0.5	----	----	<0.5	----
<b>EP080/071: Total Petroleum Hydrocarbons</b>								
C6 - C9 Fraction	----	20	µg/L	<20	----	----	30	----
C10 - C14 Fraction	----	50	µg/L	<50	----	----	260	----
C15 - C28 Fraction	----	100	µg/L	<100	----	----	790	----
C29 - C36 Fraction	----	50	µg/L	<50	----	----	<50	----
^ C10 - C36 Fraction (sum)	----	50	µg/L	<50	----	----	1050	----
<b>EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions</b>								
C6 - C10 Fraction	C6_C10	20	µg/L	<20	----	----	30	----
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	µg/L	<20	----	----	30	----
>C10 - C16 Fraction	----	100	µg/L	<100	----	----	380	----
>C16 - C34 Fraction	----	100	µg/L	<100	----	----	700	----
>C34 - C40 Fraction	----	100	µg/L	<100	----	----	<100	----
^ >C10 - C40 Fraction (sum)	----	100	µg/L	<100	----	----	1080	----
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	100	µg/L	<100	----	----	380	----
<b>EP080: BTEXN</b>								
Benzene	71-43-2	1	µg/L	<1	----	----	<1	----



## Analytical Results

Sub-Matrix: WATER  
 (Matrix: WATER)

				Sample ID	Point 6 WELM-06S	Point 7 WELM-07D	Point 8 WELM-07S	Point 9 WELM LEACH-01	Point 10 WELMSW-01
Sampling date / time					28-Apr-2023 11:43	28-Apr-2023 00:00	28-Apr-2023 00:00	28-Apr-2023 13:00	28-Apr-2023 00:00
Compound	CAS Number	LOR	Unit	EW2301897-006	EW2301897-007	EW2301897-008	EW2301897-009	EW2301897-010	
				Result	Result	Result	Result	Result	
<b>EP080: BTEXN - Continued</b>									
Toluene	108-88-3	2	µg/L	<2	----	----	<2	----	
Ethylbenzene	100-41-4	2	µg/L	<2	----	----	<2	----	
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	<2	----	----	<2	----	
ortho-Xylene	95-47-6	2	µg/L	<2	----	----	<2	----	
^ Total Xylenes	----	2	µg/L	<2	----	----	<2	----	
^ Sum of BTEX	----	1	µg/L	<1	----	----	<1	----	
Naphthalene	91-20-3	5	µg/L	<5	----	----	<5	----	
<b>QWI-EN 67.11 Sampling of Groundwaters</b>									
Depth	----	0.01	m	7.09	----	----	8.09	----	
<b>EP068S: Organochlorine Pesticide Surrogate</b>									
Dibromo-DDE	21655-73-2	0.5	%	91.9	----	----	93.8	----	
<b>EP068T: Organophosphorus Pesticide Surrogate</b>									
DEF	78-48-8	0.5	%	71.4	----	----	106	----	
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>									
Phenol-d6	13127-88-3	1.0	%	23.1	----	----	26.6	----	
2-Chlorophenol-D4	93951-73-6	1.0	%	52.0	----	----	55.6	----	
2,4,6-Tribromophenol	118-79-6	1.0	%	82.5	----	----	95.2	----	
<b>EP075(SIM)T: PAH Surrogates</b>									
2-Fluorobiphenyl	321-60-8	1.0	%	65.8	----	----	77.5	----	
Anthracene-d10	1719-06-8	1.0	%	83.4	----	----	89.3	----	
4-Terphenyl-d14	1718-51-0	1.0	%	85.8	----	----	93.3	----	
<b>EP080S: TPH(V)/BTEX Surrogates</b>									
1,2-Dichloroethane-D4	17060-07-0	2	%	116	----	----	122	----	
Toluene-D8	2037-26-5	2	%	104	----	----	99.8	----	
4-Bromofluorobenzene	460-00-4	2	%	95.4	----	----	98.2	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Sample ID	Point 11 WELMSW-02	Point 12 DAM 1	Point 13 DAM 2	Point 14 DAM 3	Point 15 DAM 4
Sampling date / time				28-Apr-2023 00:00	28-Apr-2023 10:15	28-Apr-2023 00:00	28-Apr-2023 00:00	28-Apr-2023 11:07	
Compound	CAS Number	LOR	Unit	EW2301897-011	EW2301897-012	EW2301897-013	EW2301897-014	EW2301897-015	
				Result	Result	Result	Result	Result	
<b>EA005FD: Field pH</b>									
pH	----	0.1	pH Unit	----	8.6	----	----	----	
<b>EA010FD: Field Conductivity</b>									
Electrical Conductivity (Non Compensated)	----	1	µS/cm	----	499	----	----	----	
<b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>									
Suspended Solids (SS)	----	5	mg/L	----	7	----	----	----	
<b>EK055G: Ammonia as N by Discrete Analyser</b>									
Ammonia as N	7664-41-7	0.01	mg/L	----	0.09	----	----	----	
<b>EN67 PK: Field Tests</b>									
Field Observations	----	0.01	--	NO ACCESS TRACK CLOSED	----	NO ACCESS TRACK BLOCKEDNO ACCESS TRACK BLOCKED	NO ACCESS TRACK BLOCKEDNO ACCESS TRACK BLOCKED	DRY	
<b>EP025FD: Field Dissolved Oxygen</b>									
Dissolved Oxygen	----	0.01	mg/L	----	6.80	----	----	----	
<b>EP030: Biochemical Oxygen Demand (BOD)</b>									
Biochemical Oxygen Demand	----	2	mg/L	----	<2	----	----	----	



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Sample ID		Point 16 DAM 5	Point 17 DAM 6	----	----	----
Sampling date / time		28-Apr-2023 11:00		28-Apr-2023 11:38		----	----	----
Compound	CAS Number	LOR	Unit	EW2301897-016	EW2301897-017	-----	-----	-----
				Result	Result	----	----	----
<b>EA005FD: Field pH</b>								
pH	----	0.1	pH Unit	----	7.5	----	----	----
<b>EA010FD: Field Conductivity</b>								
Electrical Conductivity (Non Compensated)	----	1	µS/cm	----	984	----	----	----
<b>EA025: Total Suspended Solids dried at 104 ± 2°C</b>								
Suspended Solids (SS)	----	5	mg/L	----	6	----	----	----
<b>EK055G: Ammonia as N by Discrete Analyser</b>								
Ammonia as N	7664-41-7	0.01	mg/L	----	0.88	----	----	----
<b>EN67 PK: Field Tests</b>								
Field Observations	----	0.01	--	NO ACCESS AREA OVER GROWN TO POND	----	----	----	----
<b>EP025FD: Field Dissolved Oxygen</b>								
Dissolved Oxygen	----	0.01	mg/L	----	4.88	----	----	----
<b>EP030: Biochemical Oxygen Demand (BOD)</b>								
Biochemical Oxygen Demand	----	2	mg/L	----	<2	----	----	----



## Surrogate Control Limits

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
<b>EP068S: Organochlorine Pesticide Surrogate</b>			
Dibromo-DDE	21655-73-2	67	111
<b>EP068T: Organophosphorus Pesticide Surrogate</b>			
DEF	78-48-8	67	111
<b>EP075(SIM)S: Phenolic Compound Surrogates</b>			
Phenol-d6	13127-88-3	10	44
2-Chlorophenol-D4	93951-73-6	14	94
2,4,6-Tribromophenol	118-79-6	17	125
<b>EP075(SIM)T: PAH Surrogates</b>			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	32	112
<b>EP080S: TPH(V)/BTEX Surrogates</b>			
1,2-Dichloroethane-D4	17060-07-0	72	143
Toluene-D8	2037-26-5	75	131
4-Bromofluorobenzene	460-00-4	73	137



## ***Inter-Laboratory Testing***

Analysis conducted by ALS Sydney, NATA accreditation no. 825, site no. 10911 (Chemistry) 14913 (Biology).

(WATER) EG035T: Total Recoverable Mercury by FIMS  
(WATER) EP005: Total Organic Carbon (TOC)  
(WATER) EP035SF: Total Phenol by Segmented Flow Analyser  
(WATER) EK061G: Total Kjeldahl Nitrogen By Discrete Analyser  
(WATER) EK059G: Nitrite plus Nitrate as N (NO<sub>x</sub>) by Discrete Analyser  
(WATER) EK055G: Ammonia as N by Discrete Analyser  
(WATER) EG020T: Total Metals by ICP-MS  
(WATER) ED093F: Dissolved Major Cations  
(WATER) EA015: Total Dissolved Solids dried at 180 ± 5 °C  
(WATER) ED045G: Chloride by Discrete Analyser  
(WATER) ED037P: Alkalinity by PC Titrator  
(WATER) EK040P: Fluoride by PC Titrator  
(WATER) ED041G: Sulfate (Turbidimetric) as SO<sub>4</sub> 2- by DA  
(WATER) EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions  
(WATER) EP080/071: Total Petroleum Hydrocarbons  
(WATER) EP080: BTEXN  
(WATER) EP080S: TPH(V)/BTEX Surrogates  
(WATER) EP075(SIM)B: Polynuclear Aromatic Hydrocarbons  
(WATER) EP075(SIM)T: PAH Surrogates  
(WATER) EP075(SIM)S: Phenolic Compound Surrogates  
(WATER) EP068B: Organophosphorus Pesticides (OP)  
(WATER) EP068A: Organochlorine Pesticides (OC)  
(WATER) EP068S: Organochlorine Pesticide Surrogate  
(WATER) EP068T: Organophosphorus Pesticide Surrogate  
(WATER) EN055: Ionic Balance  
(WATER) EP030: Biochemical Oxygen Demand (BOD)  
(WATER) EA025: Total Suspended Solids dried at 104 ± 2°C